



United States Environmental Protection Agency
Office of Environmental Measurement & Evaluation
11 Technology Drive
North Chelmsford, MA 01863-2431

Page 1 of 13

Laboratory Report

August 03, 2017

Danielle Gaito - Mail Code OEP06-4

Evan Lewis - Mail Code OEP06-1

US EPA New England R1

Project Number: 17070012

Project: Merrymeeting River - Durham, NH

Analysis: Nitrogen by Lachat

EPA Chemist: Bhavita Patel

Date Samples Received by the Laboratory: 07/12/2017

Analytical Procedure:

All samples were received and logged in by the laboratory according to the USEPA New England Laboratory SOP for Sample Log-in.

Sample preparation and analysis was done following the EPA Region I SOP, INGNO2NO30.

For unpreserved samples results of NO₂ and NO₃ will be reported as ions and as nitrogen.

For preserved samples combined NO₂ NO₃ will be reported as nitrogen.

For total nitrogen (sum of nitrate-nitrogen, nitrite-nitrogen, ammonia-nitrogen and organically bonded nitrogen)) result will be reported as nitrogen.

Data were reviewed in accordance with the internal verification procedures described in the EPA New England Quality Manual for NERL.

Results relate only to the items tested or to the samples as received by the Laboratory. This analytical report shall not be reproduced except in full, without written approval of the laboratory.

If you have any questions please call me at 617-918-8340 .

Sincerely,

17070012\$TNL

Qualifiers:

RL = Reporting limit

ND = Not Detected above Reporting limit

NA = Not Applicable due to high sample dilutions or sample interferences

NC = Not calculated since analyte concentration is ND.

J = Estimated value

J1 = Estimated value due to MS recovery outside acceptance criteria

J2 = Estimated value due to LFB result outside acceptance criteria

J3 = Estimated value due to RPD result outside acceptance criteria

J4 = Estimated value due to LCS result outside acceptance criteria

E = Estimated value exceeds the calibration range

L = Estimated value is below the calibration range

B = Analyte is associated with the lab blank or trip blank contamination. Values are qualified when the observed concentration of the contamination in the sample extract is less than 10 times the concentration in the blank.

R = No recovery was calculated since the analyte concentration is greater than four times the spike level.

P = The confirmation value exceeded 35% difference and is less than 100%. The lower value is reported.

C = The identification has been confirmed by GC/MS.

A = Suspected Aldol condensation product.

N = Tentatively identified compound.

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: MM1-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68285
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	96	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: PM01-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68286
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	220	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: PM02-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68287
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	130	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

Laboratory Blank for Nitrogen by Lachat

Client Sample ID: N/A
Date of Collection: N/A
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: N/A
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: N/A
pH: N/A
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	ND	45	

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: MM2-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68288
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	220	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: MM3-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68289
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	170	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

Nitrogen by Lachat

Client Sample ID: DUP02-July
Date of Collection: 7/12/2017
Date of Preparation: 7/20/2017
Date of Analysis: 7/31/2017
Dry Weight Prepared: N/A
Wet Weight Prepared: N/A
Volume Extracted: N/A
Final Volume: N/A

Lab Sample ID: AB68290
Matrix: Water
Amount Prepared: N/A
Percent Solids: N/A
Extract Dilution: 1
pH: <2
GPC Factor: N/A

CAS Number	Compound	Concentration ug/L	RL ug/L	Qualifier
	Combined Nitrate & Nitrite	ND	23	
	Total Nitrogen	220	45	

Comments: Total nitrogen samples were digested on 7/20/17. Combined NO₂NO₃ were run on 7/31/17.

Merrymeeting River - Durham, NH

MATRIX SPIKE (MS) RECOVERY

Sample ID: AB68287

PARAMETER	SPIKE ADDED ug/L	SAMPLE CONCENTRATION ug/L	MS CONCENTRATION ug/L	MS % REC	QC LIMITS (% REC)
Combined Nitrate & Nitrite	600	ND	626	104	80 - 120
Total Nitrogen	1000	128	1200	107	80 - 120

Merrymeeting River - Durham, NH

Laboratory Duplicate Results

Sample ID: AB68287

PARAMETER	SAMPLE RESULT ug/L	SAMPLE DUPLICATE RESULT ug/L	PRECISION RPD %	QC LIMITS
Combined Nitrate & Nitrite	ND	ND	NC	20
Total Nitrogen	128	128	0	20


Merrymeeting River - Durham, NH

Laboratory Fortified Blank (LFB) Results

PARAMETER	LFB AMOUNT SPIKED ug/L	LFB RESULT ug/L	LFB RECOVERY %	QC LIMITS %
Combined Nitrate & Nitrite	600	628	105	80 - 120
Total Nitrogen	600	613	102	80 - 120

Comments:

Samples in Batch: AB68285, AB68286, AB68287, AB68288, AB68289, AB68290



CHAIN OF CUSTODY RECORD

Page 13 of 13

17070012 TP

Distribution: Original Accompanies Shipment/ Copy to Coordinator Field Files

17070012 OPHOS
17070012 \$TNL
17070012 AMMO
17070012 TSS

400

1- 20176